

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT INFORMATION

PRODUCT NAME(S): **GT Products®2100 RED**

CHEMICAL NAME OR CLASS: Silicone sealant

GT PRODUCTS INC.
609 INDUSTRIAL BLVD.
GRAPEVINE, TX 76051

PHONE NO. (817)-481-7113
FAX NO. (817)-421-1211

NFPA CODES:

HEALTH: 1
FLAMMABILITY: 1
REACTIVITY: 0

HAZARD RATINGS:

4 = SEVERE
3 = SERIOUS
2 = MODERATE
1 = SLIGHT
0 = MINIMAL

HAZARD CLASS: None

SECTION II -- HAZARDOUS INGREDIENTS

<u>COMPONENT</u>	<u>AMOUNT</u>	<u>TLV</u>	<u>CAS NO.</u>
------------------	---------------	------------	----------------

None

Note: Acetic acid is formed on contact with moisture. Use ventilation to maintain TLV below 10ppm.

All components are listed on the TSCA inventory
No known ozone depleting chemicals are used in the manufacture of this product.

SECTION III - PHYSICAL AND CHEMICAL DATA

BOILING POINT	NA
VAPOR PRESSURE	NA
SPECIFIC GRAVITY:	1.04
MELTING POINT	Unknown
SOLUBILITY IN WATER:	None
APPEARANCE AND ODOR:	Red paste, Vinegar-like odor

Note: Data is not intended for writing specifications.

MATERIAL SAFETY DATA SHEET

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD)* NA (paste)

FLAMMABILITY CLASSIFICATION: none

EXTINGUISHING MEDIA: Use standard fire fighting techniques; water, dry chemical, foam

(*) Value for material or lowest flash point ingredient

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE:

EYES: Will cause moderate irritation, swelling and redness.

SKIN: May cause slight irritation, prolonged contact may moderate irritation.

INGESTION: None expected

INHALATION: May irritate eyes, nose and throat

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush with running water for a least 15 min.

SKIN: Remove with dry cloth or paper towel: wash exposed area with soap and water.

INGESTION: NA

INHALATION: Remove victim to fresh air.

SECTION VI - REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY: Water, moisture, humid air.

HAZARDOUS DECOMPOSITION PRODUCTS: Acetic acid

SECTION VII - SPILL OR LEAK PROCEDURES

IF MATERIAL IS SPILLED: Scrape up and contain for disposal.

WASTE DISPOSAL METHOD: Licensed landfill or incinerator.

SECTION VIII - SPECIAL PROTECTION INFORMATION

MATERIAL SAFETY DATA SHEET

RESPIRATORY PROTECTION: Niosh approved respirator for hydrocarbon vapors if exhaust ventilation is not adequate.

VENTILATION: Normal industrial air circulation

SKIN PROTECTION: Plastic or neoprene gloves

EYE PROTECTION: Safety glasses with side shields

OTHER PROTECTIVE EQUIPMENT: Normal clothing and shoes

SECTION IX - SPECIAL PRECAUTIONS:

AVOID CONTACT WITH MOISTURE

AVOID SKIN AND EYE CONTACT.

AVOID BREATHING VAPORS, MIST, OR FUMES.

ENSURE THAT ALL CONTAINERS ARE PROPERLY LABELED TO PREVENT ACCIDENTAL INGESTION OR IMPROPER DISPOSAL.

RESEAL PARTIALLY USED CONTAINERS.

WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING, OR USING TOILET FACILITIES.

STORE IN COOL (<90F) DRY CONDITIONS, AWAY FROM OPEN FLAMES.

AVOID CONTACT WITH ACIDIC, BASIC, AND OXIDIZING AGENTS.

MAINTAIN CONDITIONS OF GOOD INDUSTRIAL PRACTICE.

EMPTY CONTAINERS ARE DANGEROUS- DO NOT CUT, DRILL, GRIND, OR WELD UNLESS THOROUGHLY CLEANED

SHIPPING INFORMATION:

DOT Proper classification: NONE

Proper shipping name: NONE

Other requirements: NONE

We believe the above information is correct as of the date of this data sheet. However, as this information and the conditions under which the product are used are beyond the control of GT PRODUCTS, INC., it is the user's obligation to determine the conditions for his safe use of the product.